

UNIFIED DEVELOPMENT CODE

Zoning

Regulates how land is used

Sets dimensional requirements for structures

Addresses all aspects of site development: accessory structures, temporary uses, parking, landscape, signs

Subdivision

Rules for dividing land into buildable lots

Standards for public improvements

Assist in preservation - conservation design

SHREVEPORT / CADDO

UNIFIED DEVELOPMENT CODE

Unified Development Code

Combines zoning & subdivision regulations

Includes or references other City & Parish ordinances & regulations

Becomes the "rule book" for land development

Streamlined and user-friendly

Relationship to the Master Plan

Master Plan provides mapped & written land development policy

UDC will implement certain elements of the Master Plan

SHREVEPORT / CADDO

Shreveport/Caddo UDC Organization

COMPARTMENTALIZATION				
Introduction	Article 1. Title, Purpose, & Transition Article 2. Rules of Measurement & General Definitions			
Districts	Article 3. Zoning Districts & Zoning Map Article 4. Zoning District Regulations Article 5. Uses Article 6. Use Standards			
On-Site Development	Article 7. On-Site Development Standards Article 8. Off-Street Parking & Loading Article 9. Signs Article 10. Landscape & Tree Preservation Article 11. Stormwater Management			
Off-Site Development	Article 12. Right-of-Way & Access Standards Article 13. Subdivision Standards			
General Administration	Article 14. Code Administrators Article 15. Application Procedures			
Zoning Approvals	Article 16. Zoning Approvals			
Subdivision Approvals	Article 17. Subdivision Approvals			
Implementation	Article 18. Nonconformities Article 19. Enforcement Article 20. Annexation Rules			

Transition Rules

Relation to Private Agreements
Relation to Other Laws and Regulations
Existing Illegal Structures and Uses
Existing Uses:


Special Approvals to Special Use Permitted Use to Special Use Special Use to Permitted Use No Permission: Nonconformity


Nonconformities



All general terms defined

Measurement methodologies explained & illustrated





SHREVEPORT / CADDO

Residential Districts

- R-A Rural-Agricultural Zoning District
- R-E Residential Estate Zoning District
- R-1-12 Single-Family Residential Zoning District
- R-1-10 Single-Family Residential Zoning District
- R-1-5 Single-Family Residential Zoning District
- R-UC Urban Core Residential Zoning District
- R-HU Highland Urban Conservation Residential Zoning District
- R-TH Townhouse Residential Zoning District
- R-2 Multi-Family Residential Zoning District
- R-3 Multi-Family Residential Zoning District
- R-4 High-Rise Residential Zoning District
- R-MHS Residential Manufactured Home Subdivision Zoning District
- R-MHP Residential Manufactured Home Park Zoning District

SHREVEPORT / CADDO

Residential Districts

Revised lot dimension standards for conformity

Design standards by dwelling type

Manufactured home park design & siting standards

Single-family residential conversions permissions for single-family

R-HU Highland Urban Conservation

Standards maintained

Single-family residential conversion standards

Site plan review required

Demolition permit requires 120 day delay

R-UC Urban Core

Urban residential redevelopment 3,000sf/du lot size

SHREVEPORT / CADDO

A dwelling must have a primary entrance from the façade facing the street. The entrance must be a prominent feature, and an integral part of the structure using features such as porches, raised steps and stoops with roof overhangs, or decorative railings.



SHREVEPORT / CADDO

Flat roofs must include cornices, parapets, or similar architectural details to add variety and break up the roofline. Consistent materials and architectural treatments must wrap around all street facing façades. The entire townhouse or multi-family development must have a unifying architectural theme.

Three-dimensional elements provide visual interest on building façade.



Minimum separation of 15 feet between building sidewalls

SHREVEPORT / CADDO

















Commercial Districts

- C-1 Neighborhood Commercial Zoning District
- C-2 Corridor Commercial Zoning District
- C-3 General Commercial Zoning District
- C-4 Heavy Commercial Zoning District
- C-UV Urban Village Commercial Zoning District

C-UV Urban Village

Large-scale mixed-use

Minimum 10 acre site


Standards for commercial versus residential development

Design standards for new development

SHREVEPORT / CADDO

Table 4-4: Commercial Design Standards					
	C-1	C-2	C-3	C-4	C-UV
Façade Design					
Building facades that abut a public right-of-way, excluding alleys, must not contain blank wall areas that exceed 35 linear feet, measured parallel to the street.	х	х	х		х
Building facades in excess of 100 feet that abut a public right-of-way, excluding alleys, must include a repeating pattern with no less than two of the following elements: color change, texture change, material module change, or a wall articulation change of no less than two feet in depth, such as a reveal, pilaster, or projecting rib. All elements must repeat at intervals of no more than 40 feet.		x			x
All buildings of three or more stories must be designed with a definable base (ground floor), through the use of architectural features such as cornice treatments, recesses, corbeling, brick courses, and window designs.		х	х	х	х
All buildings must have a public entrance from the sidewalk along the primary building frontage. Public entrances must be visually distinctive from the remaining portions of the façade along which they are located.	Х	Х	Х		х
Fenestration Design					
Windows must be recessed no less than two inches, or projected out from the façade plane to provide depth and shadow.		х			Х
The ground floor of the front facade must maintain a transparency of 50%, measured between two and 14 feet in height from grade.		х			Х

SHREVEPORT / CADDO



Incorporate a repeating element of color change, texture change, material change, or a wall articulation of no less than two feet.

Rooflines over 100 feet in length must be variegated, and incorporate a major focal point feature. Parapet walls must feature three-dimensional cornice treatments or other shadow creating detail along their tops.




Upper floors of the front façade must maintain a transparency of 25% of the wall area of the story.

The ground floor of the front façade must maintain a transparency of 35-50% (by district), measured between two and 14 feet in height from grade.

Buildings must have a public entrance from the sidewalk along the primary building frontage. Entrances must be visually distinctive from the rest of the building façade.

SHREVEPORT / CADDO

















SHREV







SHREVEPORT / CADDO





Downtown Districts


- D-1 Downtown Zoning District
 - D-1-CBD Downtown Core Sub-District
 - D-1-E Downtown Entertainment Sub-District
 - D-1-CMU Downtown Commercial Mixed-Use Sub-District
 - D-1-RMU Downtown Residential Mixed-Use Sub-District
 - D-1-AC Downtown Arts and Culture Sub-District
 - D-1-HC Downtown Heavy Commercial Sub-District

Downtown Districts

Height issue by location, rather than sub-district – 2 alternatives


Design standards by sub-district


SHREVEPORT / CADDO



LEGEND - DOWNTOWN SUBDISTRICTS







LEGEND - BUILDING HEIGHT

Max. 35' (3 stories)

Max. 225' (20 stories)

Max. 60' (5 stories)

No Limit

2 Story Minimum Height

3 Story Minimum Height

Industrial Districts

OR Office Research Zoning District

I-MU Industrial Mixed-Use Zoning District

I-1 Light Industrial Zoning District

I-2 Heavy Industrial Zoning District

OR Office Research

Large office developments

Mix of office and light industrial uses to encourage tech, research

I-MU Industrial Mixed-Use

Address areas of transition & facilitate reuse

Mix of light and artisan industrial uses with commercial and arts

SHREVEPORT / CADDO

Public entrances and primary building elevations must be oriented toward public streets. Main entrances to buildings must be well defined. Buildings over 150 feet in length must incorporate projections or recesses, or changes in wall plane a minimum of two feet in depth, at a maximum of every 75 linear feet.



SHREVEPORT / CADDO

A distinct visual link must be established between buildings through the use of architectural features or site design elements such as courtyards, plazas, landscape, and walkways.



The use of multiple, smaller parking lots is required. Site parking behind buildings and use landscape to soften appearance.

Provide pedestrian links to existing right-of-way sidewalks and any adjacent commercial development.

SHREVEPORT / CADDO









SHREVEPORT / CADDO









Special Purpose Districts

I Institutional Campus Zoning District

NA Natural Areas Zoning District

OS Open Space Zoning District

RBO Riparian Buffer Overlay Zoning District

CLO Cross Lake Overlay Zoning District

RRO Red River Overlay Zoning District

I Institutional Campus

University or hospital campuses

Allows for Institutional Master Plan (IMP) to exceed base standards

IMP: Review by MPC; Approved by City or Parish

SHREVEPORT / CADDO

Modern generic use approach

Principal & Temporary Uses

Article 5: Use Matrix

Article 5: Use Definitions

Article 6: Use Standards

Modern & unique uses included

Neighborhood commercial establishment

Solar and wind energy


Reception facilities

Retail sales of alcohol

Live entertainment uses

HOURS OF OPERATION ELIMINATED FROM CODE

SHREVEPORT / CADDO



Manufactured, Mobile, & Modular Homes

<u>Manufactured Home</u>: Prefabricated structure built on a chassis that is regulated by HUD per Federal National Manufactured Housing Construction and Safety Standards Act of 1974

Mobile Home: Prefabricated structures built on a chassis prior to the 1974 Act

Modular Dwelling: Dwellings built in multiple sections and delivered to the site where modules are set onto the foundation and joined, and must conform to all zoning and building code requirements

Treated as single-family or two-family dwellings

SHREVEPORT / CADDO

Group Homes & Halfway Houses

Group Home: Group care facility in a residential dwelling for:

- Care of persons in need of personal services or assistance essential for activities of daily living
- 2. Care of persons in transition or in need of supervision
- 3. Protection of the individual

Include facilities for drug/alcohol rehabilitation & those transitioning from homeless status

<u>Halfway House</u>: Residential facility for adults or minors who have been institutionalized for criminal conduct & require a group setting to facilitate transition

BOTH REQUIRE 1,000 FOOT SEPARATION

SHREVEPORT / CADDO

Table 5-1: Use Matrix																																
Use	R-A	R-E	R-1- 12	R-1- 10	R-1-5	R-UC	R-HU	R-TH	R-2	R-3	R-4	R- MHS	R- MHP	C-1	C-2	C-3	C-4	C-UV	D-1- CBD	D-1- E	D-1- CMU	D-1- RMU	D-1- AC	D-1- HC	OR	I-MU	1-1	I-2	NA	os	- 1	USE STANDARD
Agriculture	Р	Р																														
Airport																											S	S				Sec. 6.1.A
Amusement Facility - Indoor														Р	Р	Р	Р	А		Р	Р	S	Р	Р		Р					Р	
Amusement Facility - Outdoor																	Р	Р								Р	S					
Animal Care Facility														S	Р	Р	Р	Р			Р	Р		Р		Р	Р					Sec. 6.1.B
Animal Shelter														S	Р	Р	Р	S	S	S	Р	Р	S	Р		Р	Р					Sec. 6.1.B
Animal Shelter – Operated by Public Authority	Р	Р												Р	Р	Р	Р	Р	Р		Р	Р	Р	Р	Р	Р	Р	Р				Sec. 6.1.B
Art Gallery														Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р		Р					Р	
Arts Studio														Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р		Р					Р	
Automated Teller Machine - Standalone														Ρ	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р			Р	Sec. 6.1.C
Bar															S	Р	Р	Р	Р	Р	Р	S	Р	Р	Р	Р	Р				S	Sec. 6.1.D
Bed and Breakfast	Р	Р	Р	Р			S																									Sec. 6.1.E
Boardinghouse	Р	Р	Р	S	S																	S										
Body Modification Establishment															Р	Р	Р	Р		Р	Р	Р	Р	Р		Р						
Broadcasting Facility TV/Radio - With Antennae																	Р								Р	Р	Р	S			Р	
Broadcasting Facility TV/Radio - Without Antennae															Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р				Р	

Use Regulations

- ✓ Each district assigned a set of permitted & special uses (E Overlay District eliminated)
- ✓ Special uses require either City Council or Parish Commission approval
- ✓ If use is not listed in district, it's not allowed.
- ✓ Use standards for select uses that must be complied with
- ✓ Full range of temporary uses



Comprehensive accessory structures

Allow more than one structure Remove 450sf limit for structures

Regulate by accessory structure type

General structures

Detached garages, sheds, fences

General uses

Storage, home occupations

Sustainability

Solar, wind, lighting, farmstands


Animal- Related

Livestock, chickens, bees

Address permitted encroachments

Allowed encroachments into required yards





Exterior Lighting

Dark Skies based regulations
Cut-off and non-cut-off standards

Home-Based Business

Updated to be more flexible
Client visits limited to hours of 7AM to 7PM; appointment only
Limitations on barber shop/beauty shop

Livestock

R-A, R-E, R-1-12, R-1-10 Districts only
Register horses with Animal Control – deem existing conforming
Minimum lot size of 1 acre + additional area required by animal type &

SHREVEPORT / CADDO

square footage of open space

Table 7-1: Permitted Encroachments into Required Setbacks Y= Permitted // N= Prohibited

Max. = Maximum // Min. = Minimum

	Front Setback	Corner Side Setback	Interior Side Setback	Rear Setback
Accessibility Ramp	Υ	Υ	Υ	Υ
Air Conditioner Window Unit Max. projection of 18" from building wall No building permit required	Y	Y	Υ	Υ
Amateur (HAM) Radio Equipment (Section 7.3)	N	N	N	Υ
Apiary (Section 7.3)	N	N	N	Υ
Aquaculture/Aquaponics (Section 7.3)	N	N	N	Υ
Arbor	Υ	Υ	Υ	Υ
Awning or Sunshade Max. of 3' into any setback	Υ	Y	Υ	Υ
Balcony Max. of 6' into front, interior side, or corner side setback Max. of 8' into rear setback Min. of 4' from any lot line Max. vertical clearance of 8'	Y	Y	Υ	Υ
Bay Window Max. of 3' into any setback	Y	Y	Υ	Υ

SHREVEPORT / CADDO

Update off-street parking

Parking lot & structure design

Location permissions, including off-site

Parking ratios updated & linked to use structure

Parking maximums: non-residential over 15,000sf limited to 115%


Curb cut permissions & driveway sizes


Motorcycle spaces may be substituted for auto spaces

Required bicycle parking

Certain development types

Design & siting standards





SHREVEPORT / CADDO

TABLE 8-1: OFF-STREET VEHICLE AND BICYCLE PARKING REQUIREMENTS										
		MINIMUM REQUIRED	BICYCLE SPACES							
USE	MINIMUM REQUIRED VEHICLE SPACES	REQUIRED TOTAL BICYCLE SPACES	PERCENTAGE OF REQUIRED BICYCLE SPACES THAT MUST BE LONG-TERM SPACES							
Adult Use	1 per 300sf GFA									
Airport	1 per 100sf GFA of terminal area									
Amusement Facility - Indoor	1 per 300sf GFA	Over 10,000sf GFA: 1 per 2,500sf GFA								
Bowling Alley	4 per lane									
Movie Theater	1 per 4 seats for first 400 seats + 1 per 6 seats after first 400	Over 10,000sf GFA: 1 per 2,500sf GFA								
Pool Hall	4 per table									
Amusement Facility - Outdoor	1 per 1,000sf GFA + 1 per 1,000sf of outdoor area	Over 10,000sf GFA: 1 per 2,500sf GFA								
Animal Care Facility	1 per 300sf GFA									
Art Gallery	1 per 500sf GFA									
Arts Studio	1 per 300sf GFA	Over 5,000sf GFA: 1 per 1,500sf GFA								
Bar	1 per 200sf GFA									
Bed and Breakfast	2 spaces + 1 per guestroom									
Boardinghouse	2 spaces + 1 per 2 rooms	1 per 2 rooms	80%							
Body Modification Establishment	1 per 300sf GFA									

Parking Exemptions

D-1 District

Any lot under 5,000sf in R-UC

First 2,500sf of non-residential in C-1

& C-2

Neighborhood Commercial

Establishment use

Existing structures as of Code effective date that do not provide parking

Street	Short term bicycle parking shall be located no more than 50' located no more than 50 feet from the principal building entrance
	Street

TABLE 8-3: SHARED PARKING CALCULATION										
LAND USE		Weekday		Weekend						
LAND USE	Mid-7am	7am-6pm	6pm-Mid	Mid-7am	7am-6pm	6pm-Mid				
Residential	100%	100%	100%	100%	100%	75%				
Commercial	0%	100%	80%	0%	100%	60%				
Restaurant	50%	70%	100%	45%	70%	100%				
Hotel	100%	50%	90%	100%	65%	80%				
Office	5%	100%	5%	0%	40%	10%				
Industrial	5%	100%	5%	0%	60%	10%				


Parking Flexibilities

Shared parking

Cross-access servitudes

Car/bike share facilities

Electric charging stations



Comprehensive sign controls

Standards for construction & location

Limit on items of information

Illumination regulations

Prohibited sign types

Cabinet box wall signs

Permanent & temporary signs

Sign permit exempt signs

Stricter billboard regulations

Permissions for electronic signs

Provision for "classic signs"





SHREVEPORT / CADDO

DISTRICT	A-Frame Sign	Attention-Getting Device	Awning Sign	Banner - Exhibitio	Canopy Sign	Electronic Message Sign	Freestanding Sign	Marquee	Projecting Sign	Public Information or Event Sign	Roof Sign	Scoreboard	Wall Sign
R-A R-E R-1-12 R-1-10 R-1-5 R-UC R-HU R-TH R-2 R-3 R-4 R-MHS R-MHP C-1 C-2 C-3 C-4 C-UV D-1-CBD D-1-E D-1-CMU D-1-RMU D-1-AC D-1-HC OR I-MU	× × × × × × × × × × × × × × × × × × ×	X X X X X X X X X X X X X X X X X X X	X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X	X X X X X X X X X X X X X X X X X X X	X
I-1 I-2 I NA OS		X X X	X X X X	X X X X	X X X X	X X X X	X X X X		X X X	X X X X	X X	X X X	X X X X

TABLE 9-2: SIGNS TYPES REQUIRING PERMIT DISTRICT PERMISSIONS




SHREVEPORT / CADDO



TABLE 9-4: PROJ	ECTING SIGN REGULATIONS
DISTRICT	Projecting Sign
R-A	Prohibited
R-E	Prohibited
R-1-12	Prohibited
R-1-10	Prohibited
R-1-5	Prohibited
R-UC	Prohibited
R-HU	Prohibited
R-TH	Prohibited
R-2	Prohibited
₹-3	Prohibited
R-4	Prohibited
R-MHS	Prohibited
R-MHP	Prohibited
3-1	36sf
3-2	48sf
:-3	48sf
-4	48sf
-UV	48sf
-1-CBD	48sf
-1-E	48sf
-1-CMU	36sf
-1-RMU	36sf
)-1-AC	36sf
)-1-HC	48sf
OR	36sf
MU	48sf
1	48sf
-2	48sf
	48sf
IA	Prohibited
os	Prohibited

SHREVEPORT / CADDO







	TABLE 9-3: FRE	ESTANDING SIGN	REGULATIONS	
	Monument		Pole	
DISTRICT	Sign Area	Sign Height	Sign Area	Sign Height
R-A	36sf	6'	Prohibited	
R-E	36sf	6'	Prohibited	
R-1-12	36sf	6'	Prohibited	
R-1-10	36sf	6'	Prohibited	
R-1-5	36sf	6'	Prohibited	
R-UC	36sf	6'	Prohibited	
R-HU	36sf	6'	Prohibited	
R-TH	36sf	6'	Prohibited	
R-2	36sf	6'	Prohibited	
R-3	36sf	6'	Prohibited	
R-4	36sf	6'	Prohibited	
R-MHS	36sf	6'	Prohibited	
R-MHP	36sf	6'	Prohibited	
C-1	48sf	8'	Prohibited	
C-2	48sf	8'	Prohibited	
C-3	64sf	8'	80sf	25'
C-4	64sf	8'	80sf	25'
C-UV	64sf	8'	Prohibited	
D-1-CBD	Prohibited		Prohibited	
D-1-E	100sf	8'	200sf	25'
D-1-CMU	Prohibited		Prohibited	
D-1-RMU	36sf	6'	Prohibited	
D-1-AC	36sf	6'	Prohibited	
D-1-HC	48sf	8'	80sf	25'
OR	48sf	8'	80sf	25'
I-MU	48sf	8'	80sf	25'
I-1	64sf	8'	80sf	25'
I-2	64sf	8'	80sf	25'
	64sf	8'	80sf	25'
NA	48sf	8'	Prohibited	
OS	48sf	8'	Prohibited	



Spacing Requirements Interstate 20: 1,000' Interstate 49: 1,000'

Industrial Loop: 1,000' Public streets: 500'

Permitted:

- 1. Within 660' of any federal interstate or primary aid highway on land zoned commercial or industrial
- 2. I-2 District

Prohibited within 1,000' of Clyde E. Fant Memorial Parkway, or within 500' of I-220 or Inner Loop Expressway

SHREVEPORT / CADDO

Landscape requirements

Tree preservation

Shade tree plantings by district Interior & perimeter parking lot landscape

Buffer yard

Downtown is <u>not</u> exempt from landscape

Stormwater Management

10,000sf of impervious surface (SF & 2F exempt)

Landscape plan or submittal of LADEQ plan

Use of best practices required





SHREVEPORT / CADDO

Tree Preservation

Significant tree: 24" or more in diameter at 4.5' above the ground

No significant tree may be removed without Executive Director permission

Removal requires replacement

Clear-cutting prohibited

Utility pruning requires Executive Director permission

Required Shade Trees

Shade trees, include broad-leaf evergreens,

Planted both on-site and in parkway

	TABLE 10-2: REQUIRED SHADE TREES								
DISTRICT	On-Site Trees	Parkway Trees per Linear Feet of Lot Abutting the Parkway							
R-A	4	1 per 50' linear feet							
R-E	4	1 per 50' linear feet							
R-1-12	None	1 per 25' linear feet							
R-1-10	None	1 per 25' linear feet							
R-1-5	None	1 per 25' linear feet							
R-UC	None	1 per 25' linear feet							
R-HU	None	1 per 25' linear feet							
R-TH	Townhouse: 2	1 per 25' linear feet							
R-2	Townhouse: 2 Multi-Family: 2	1 per 25' linear feet							
R-3	Townhouse: 2 Multi-Family: 4	1 per 25' linear feet							
R-4	Townhouse: 2 Multi-Family: 4	1 per 25' linear feet							
R-MHS	None	1 per 25' linear feet							
R-MHP	2 per acre	1 per 25' linear feet							
C-1	None	1 per 25' linear feet							
C-2	2	1 per 25' linear feet							
C-3	2 per acre	1 per 25' linear feet							
C-4	2 per acre	1 per 25' linear feet							
C-UV	2 per acre	1 per 25' linear feet							
D-1-CBD	None	1 per 25' linear feet							
D-1-E	None	1 per 25' linear feet							
D-1-CMU	None	1 per 25' linear feet							
D-1-RMU	None	1 per 25' linear feet							
D-1-AC	None	1 per 25' linear feet							
D-1-HC	None	1 per 25' linear feet							
OR	2 per acre	1 per 25' linear feet							
I-MU	None	1 per 25' linear feet							
I-1	None	1 per 25' linear feet							
I-2	None	1 per 25' linear feet							
I	2 per acre	1 per 25' linear feet							
NA	None	1 per 25' linear feet							
OS	None	1 per 25' linear feet							

SHREVEPORT / CADDO

Parking Lot Perimeter



SHREVEPORT / CADDO

Parking Lot Interior



SHREVEPORT / CADDO

Buffer Yard Required

- 1. R-2, R-3, or R-4 District abuts a R-A, R-E, R-1-12, R-1-10, R-1-5, R-UC, R-HU, or R-TH District
- 2. Multi-family dwelling within a R-A, R-E, R-1-12, R-1-10, R-1-5, R-UC, or R-HU District
- 3. Non-residential use within a residential district, excluding parks; solid masonry wall required
- 4. Non-residential district abuts a residential district; does not apply to the C-1, D-1, NA, or OS Districts or to any public parks; *solid masonry wall required*
- 5. OR, I-MU, I-1, or I-2 District abuts a commercial district

SHREVEPORT / CADDO





SHREVEPORT / CADDO

ROW & Access Regulations

Complete Streets design

Block standards

Sidewalk standards

Bike lane standards


Right-of-way dimensions



MINOR STREET: NEIGHBORHOOD TWO-LANE STREET


(A)	Minimum Right-of-Way Width	68'	€	Minimum Parkway Width	6'
B	Minimum Travel Lane Width	10'	(E)	Minimum Sidewalk Width	5'
©	Minimum Parking Lane Width	7'	©	Minimum Maintenance Strip	1'
0	Minimum Bike Lane Width	5'			

SHREVEPORT / CADDO



MINOR STREET: NEIGHBORHOOD TWO-LANE STREET


(A)	Minimum Right-of-Way Width	68'	(E)	Minimum Parkway Width	6'
B	Minimum Travel Lane Width	10'	(F)	Minimum Sidewalk Width	5'
©	Minimum Parking Lane Width	7'	©	Minimum Maintenance Strip	1'
0	Minimum Bike Lane Width	5'			



COLLECTOR: TWO-LANE, DIVIDED

(A)	Minimum Right-of-Way Width	
	Median	76'
	Turning Lane	82'
B	Minimum Travel Lane Width	11'
©	Minimum Parking Lane Width	8'
(D)	Minimum Bike Lane Width	5'


€	Minimum Center Lane Width	
	Median	4'
	Turning Lane	11'
(F)	Minimum Parkway Width	6'
©	Minimum Sidewalk Width	5'
Θ	Minimum Maintenance Strip	1'



MAJOR STREET: SIX-LANE, DIVIDED

(A)	Minimum Right-of-Way Width			
	Median			
	Turning Lane	129'		
B	Minimum Travel Lane Width	11'		
©	Minimum Parking Lane Width	8'		
©	Minimum Bike Lane Width	5'		

€	Minimum Center Lane Width	
	Median	4'
	Turning Lane	11'
(F)	Minimum Parkway Width	7'
©	Minimum Sidewalk Width	5'
Θ	Minimum Maintenance Strip	1'



RURAL ROAD: TWO-LANE

(A)	Minimum Right-of-Way Width	66'	©	Minimum Shoulder Width	5'
B	Minimum Travel Lane Width	12'	©	Minimum Drainage Area	16'

SHREVEPORT / CADDO

Subdivision Standards

Public facility requirements

Lot configuration

Right-of-way design

Private roads allowed

Sanitary sewers

Water supply

Utilities

Underground when appropriate

Stormwater

Conservation design

20% of area contains natural resources

SHREVEPORT / CADDO

Conservation Design Standards

Minimum of 40 acres; zoned residential

40% of area maintained in natural state or common open space

Residential clusters

Perimeter buffer yard of 75 feet

Conservation Design

Low Density (CD-L): R-A and R-E District

Medium Density (CD-M): R-1-12 and R-1-10 District

High Density (CD-H): R-1-5 District; requires connection to public sewer

TABLE 13.1: CONSERVATION DESIGN DISTRICT STANDARDS							
	CI)-L	CD	CD-H			
	No Public Sewer Public Sewer N		No Public Sewer Public Sewer		Public Sewer		
Minimum Lot Area	20,000sf	10,000sf	8,000sf	6,000sf	3,000sf		
Minimum Lot Width	100'	75'	50'	50'	30'		
Maximum Building Height	35'	35'	35'	35'	35'		
Minimum Front Setback	20'	20'	20'	20'	20'		
Minimum Interior Side Setback	10'	10'	5'	5'	5'		
Minimum Corner Side Setback	20'	20'	10'	10'	5'		
Minimum Rear Setback	20'	20'	20'	20'	20'		

Application Procedures

Completeness review

Optional pre-application review

Notice required

Public hearing process

Application		Notice Type			
Application	Published	Mailed	Posted		
Text Amendment	X				
Map Amendment	Х	Χ	Х		
Special Use	Х	Х	Х		
Variance	X	Х	Х		
Administrative Exception		Х			
Zoning Appeals	Х				
Subdivision Application – Preliminary Plan	X				
Annexation	Х				

SHREVEPORT / CADDO

TABLE 15-1: SUMMARY OF APPLICATION ACTIONS								
	ADMINISTRATORS							
APPLICATIONS	Zoning Administrator	Executive Director	Metropolitan Planning Commission	Zoning Board of Appeals	Parish Commission	City Council	Caddo Parish Civil District Court	
Map Amendment		RR	RR & PH		FA in City	FA in Parish	AP	
Text Amendment		RR	RR & PH		FA	FA	AP	
Special Use Permit		RR	RR & PH		FA in City	FA in Parish	AP	
Variance		RR		PH & FA			AP	
Administrative Exception		RR & FA		AP				
Site Plan Review – MPC		RR	RR & FA				AP	
Site Plan Review – Administrative		RR & FA	AP					
Planned Unit Development		RR	RR & PH		FA in City	FA in Parish	AP	
Sign Permit	RR & FA			AP				
Zoning Interpretation		RR & FA		AP				
Temporary Use Permit	RR & FA			AP				
Zoning Appeal				RR & FA			AP	
Subdivision – Major		RR	RR, PH & FA				AP	
Subdivision – Major		RR	RR & FA				AP	

RR = Review and Recommendation; makes recommendation to decision-making body

PH = Public Hearing; holds the public hearing

FA = Final Approval; makes the decision

AP = Appeal; hears the appeal of a decision

Text Amendments

Text amendment approved by both City and Parish
If opposing decision, forwarded to MPC Master Plan Sub-Committee for review & drafting of amendments, then resubmitted

Special Use Permit

New application approved by City or Parish based on location Site plan review by MPC required

Variance

Zoning Board of Appeals approves

Certain variances are considered administrative exceptions

SHREVEPORT / CADDO

Administrative Exception

Approved by Executive Director

Reduced notice

- 1. A reduction in a required setback of the district of no more than 15%
- 2. A reduction in the required setbacks for accessory structures of no more than one foot
- 3. A reduction of required off-street parking spaces by no more than 10% of that required or two spaces, whichever is greater
- 4. A reduction in required bicycle parking of up to 50%
- 5. A density increase of no more than 10% of the total number of residential units
- 6. An increase in building height of six feet or less

SHREVEPORT / CADDO

Site Plan Review

Metropolitan Planning Commission

- 1. All special uses
- Certain permitted uses identified in the use standards as requiring site plan review by the MPC

Executive Director

Development Review Committee & MPC Staff provide comments

- 1. New townhouse, multi-family, and non-residential (including mixed-use) construction
- Additions to existing townhouse, multi-family, and non-residential (including mixed-use) development that increases the total floor area by 30% or more New construction of parking lots of 20 or more spaces.
- 3. Any development with a drive-through facility, including a freestanding automated teller machine
- 4. Planned unit developments



Incorporates recent PUD amendments

Eliminated Planned Building Groups & Residential PUD – one Planned Unit Development

Leverage high quality development with public amenities

Sustainable design/architecture

Community amenities: plazas, formal gardens, places to congregate, outdoor seating, public art, & pedestrian, bicycle, & transit facilities

Preservation of natural areas

PUD as multi-step process - numerous points of public input

Pre-Application Meeting with Executive Director Optional Concept Plan with MPC Preliminary Site Plan & Final Site Plan Site plans valid for two years

SHREVEPORT / CADDO

Specifically address variety of nonconforming situations

Nonconforming use

Nonconforming structure

Nonconforming site element

Nonconforming lot

Nonconforming sign

Nonconforming uses - same period of discontinuance

Nonconforming structure – only element that is nonconforming is not permitted to expand

A conforming addition allowed when it conforms to all regulations Additional permissions for nonconforming dwelling additions

Nonconforming lot in residential may be used for single-family

SHREVEPORT / CADDO

Standards for evaluating City annexations

Master Plan consistency


Contiguity with City lots

Environmental impact

Public services & facilities

Proposed improvements

Compliance with UDC



SHREVEPORT / CA.



www.ShreveportCaddoUDC.com

SHREVEPORT / CADDO
UNIFIED DEVELOPMENT CODE